



A-K4P-M8-S-G-5M-BK-2-X-X-2

- Pre-wired cable
- 4-pole

Data

Ordering data

Product type description	A-K4P-M8-S-G-5M-BK-2-X-X-2
Article number (order number)	103007356
EAN (European Article Number)	4030661445359
eCl@ss number, Version 9.0	27-06-03-11
eCl@ss number, Version 11.0	27-06-03-11
ETIM number, version 7.0	EC001855
ETIM number, version 6.0	EC001855

General data

Standards	IEC 61076-2-104
Gross weight	151 g

General data - Features

Halogen free	Yes (1)
Cable drag chain suitable	Yes (1)
Number of poles	4

Mechanical data

Tightening torque, maximum	0.6 Nm
----------------------------	--------

Mechanical data - Connection technique

Length of cable	5 m
Wire cross-section	0.34 mm ²
Cable diameter	4.3 mm
Bending radius (fixed)	5 x Ø-cable
Bending radius (repeated)	10 x Ø-cable
Colour of the Cable mantle	Black
Material of the Cable mantle	PUR

Mechanical data - connector side A

Connector typ	Female connector, M8
Design	straight
Connector latching	Screw locking
Material of the gland	Metal, CuZn, nickel-plated
Material of the handle	Plastic, TPU
Colour of the handle	Black

Ambient conditions

Degree of protection	IP65 IP67
Ambient temperature, minimum (Connector)	-30 °C
Ambient temperature, maximum (Connector)	+90 °C
Temperature (fixed), minimum	-50 °C
Temperature (fixed), maximum	+90 °C
Temperature (repeated), minimum	-30 °C
Temperature (repeated), maximum	+90 °C

Electrical data

Thermal test current	4 A
----------------------	-----

Rated operating voltage	30 V
Operating current	4,000 mA

Pin assignment

PIN 1	Brown
PIN 2	White
PIN 3	Blue
PIN 4	Black

Documents

General information

(88.7 kB, 20.07.2021)

Pictures

Product picture (catalogue individual photo)



ID: k0804f01

| 54.6 kB | .jpg | 188.736 x 141.817 mm - 535 x 402 px - 72 dpi

| 18.5 kB | .png | 74.083 x 55.739 mm - 210 x 158 px - 72 dpi

Schmersal Ltd., Sparrowhawk Close, WR14 1GL Malvern

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 02/12/2021, 17:11