



## AZM190-B3/2X15

- For very small actuating radii in line with or at 90° to the plane of the actuator

### Data

#### Ordering data

Replacement article number	101029938
Product type description	AZM190-B3/2X15
Article number (order number)	131029938
EAN (European Article Number)	8905236105821
eCl@ss number, version 12.0	27-27-26-06
eCl@ss number, version 11.0	27-27-26-06
eCl@ss number, version 9.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

#### General data

Coding level according to EN ISO 14119	Low
Gross weight	80 g

#### Mechanical data

Actuating radius, minimum 350 mm

Actuator flexible

## Note

Note (General)

minimum actuating radius on rotating guard systems via the narrow edge of the actuator 350 mm

The axis of the hinge must be 20 mm above and in a parallel plane to the top surface of the safety switch.

minimum actuating radius on hinged guards in line with the plane of the actuator 350 mm

## Pictures

### Product picture (catalogue individual photo)




ID: kazm1f40

| 10.8 MB | .tif | 195.4 x 192.5 mm - 1954 x 1925 px - 254 dpi

| 288.9 kB | .jpg | 352.778 x 347.486 mm - 1000 x 985 px - 72 dpi

| 24.2 kB | .png | 74.083 x 73.025 mm - 210 x 207 px - 72 dpi

### Dimensional drawing actuator




ID: lazmb16

| 10.4 kB | .png | 74.083 x 51.506 mm - 210 x 146 px - 72 dpi

| 117.4 kB | .jpg | 352.778 x 245.181 mm - 1000 x 695 px - 72 dpi

### Actuating radius




ID: kazm1r16

| 20.4 kB | .cdr |

| 3.6 kB | .png | 74.083 x 37.042 mm - 210 x 105 px - 72 dpi

| 78.8 kB | .jpg | 352.778 x 176.389 mm - 1000 x 500 px - 72 dpi

## Actuating radius



ID: kazm1r18

| 20.6 kB | .cdr |

| 3.8 kB | .png | 74.083 x 41.628 mm - 210 x 118 px - 72 dpi

| 83.4 kB | .jpg | 352.778 x 197.556 mm - 1000 x 560 px - 72 dpi

Schmersal, Inc., 15 Skyline Drive, Hawthorne, NY 10532

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 10/3/2022, 3:37 PM