

BETAETIGER AZM 161-B1E

- Straight actuator
- Particularly suitable for sliding doors

Data

Ordering data

Product type description	BETAETIGER AZM 161-B1E
Article number (order number)	101144416
EAN (European Article Number)	4030661283203
eCl@ss number, Version 9.0	27-27-26-06
eCl@ss number, Version 11.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

General data

Material of the actuator	Stainless steel (V2A)
Gross weight	29.3 g

Mechanical data

Actuator	straight
----------	----------

Scope of delivery

Delivery scope of Mounting material

Tamperproof screws

Notes

Note (General)

Minimum actuating radius on hinged guards 160 mm
The axis of the hinge must be 5 mm above and in a parallel plane to the top surface of the solenoid interlock.

Documents

Operating instructions (supplementary sheet/quick guide)

AZM 161 Actuator (115.4 kB, 05/10/2019, Revision F)

Pictures


Product picture (catalogue individual photo)



ID: kazm1f43

| 7.3 MB | .tif | 195.4 x 130.2 mm - 1954 x 1302 px - 254 dpi
| 185.3 kB | .jpg | 352.778 x 235.303 mm - 1000 x 667 px - 72 dpi
| 17.2 kB | .png | 74.083 x 49.389 mm - 210 x 140 px - 72 dpi

Dimensional drawing miscellaneous



ID: 1azm1b21


| 39.0 kB | .cdr |
| 86.7 kB | .jpg | 352.778 x 245.886 mm - 1000 x 697 px - 72 dpi

Actuating radius



ID: kazm1r01
| 19.8 kB | .cdr |

Actuating radius



ID: kazm1r22
| 20.7 kB | .cdr |

Schmersal, Inc., 15 Skyline Drive, Hawthorne, NY 10532

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 25/02/2022, 19:05