




| CATALOG NO | VOLTAGE | NEC MOTOR HP | NEC MOTOR CURRENT | WATTS LOSS | TERMINAL HOLE SIZE | APPROX WT-LBS |
|------------|---------|--------------|-------------------|------------|--------------------|---------------|
| KDRS47HC5V | 690 | 450 | 412 | 521 | .53 | 215 |



CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

| TOLERANCES (EXCEPT AS NOTED) | | | | TCI 7878 N. 86th STREET MILWAUKEE, WI 53224 | |
|------------------------------|----------|------|----|--|--------------|
| DECIMAL | | | | KDR DRIVE REACTOR, ENCLOSED 690V HIGH Z, FRAME S | |
| .XX ± .03 | | | | | |
| .XXX ± .01 | | | | | |
| FRACTIONAL | | | | DRN. BY DSW | DATE 2/17/12 |
| ± 1/32 | | | | SCALE | APRVD. B |
| ANGULAR | | | | DWG. NO. KDRS47HC5VDG | |
| ± 1/2° | | | | SHT. 1 OF 1 | |
| NO | REVISION | DATE | BY | | |